

June 1st-3rd, 2022, Toulouse, France




Efficient Coffee Machines

NADJA GROSS, ERIC BUSH, TOPTEN SWITZERLAND

Presenter's Short Biography

- Since 2019: PM Energy Efficiency at Topten Switzerland: Main product categories are lighting, coffee machines (and other kitchen appliances), heating.
- 2012-2019: PM Energy Management at Migros (a large Swiss retailer): maintenance, development and reporting of the energy data management system
- 2009-2012: Energy Analyst at TEP Energy: Modelling energy demand on a communal, national and European level for sustainable energy concepts.
- Master of Science ETH Zurich, Environmental Sciences



Topics

- About Topten
- Energy consumption of coffee makers
- Residential coffee makers & the Swiss Energy Efficiency Label
- Commercial coffee makers: are they different?
- Focus on energy losses
- Conclusions

Topten.ch – the energy efficiency platform

- Online platform for best products: energy efficiency, environment, performance
- 73 product lists, over 10'000 products
- 580'000 sessions, 2 million pageviews per year
- Basis for rebate programmes
- Founded in 2000 in Zurich, online in 20 countries worldwide
- European platform: www.topten.eu

The screenshot displays the topten.ch website interface for energy-efficient refrigerators. The header includes navigation links for 'PRIVATE' and 'BUSINESS', and a search bar. The main navigation bar lists categories: Haushalt, Haus, Beleuchtung, Büro / TV, Mobilität, Freizeit, and Ökoenergie. The current page is titled 'Energieeffiziente Kühlschränke' with a sub-header 'Zürich: Förderbeiträge'. Below the header, there are filters for 'Marke', 'Gerätetyp', and 'Bauform', each with an 'Optionen auswählen' button. A 'Sortieren nach' dropdown is set to 'Effizienz-Index (%)'. A table lists three refrigerator models with their energy efficiency ratings, dimensions, and prices. Below the table, there is a 'Shoplinks' section with a table listing retailers, their availability, and prices.

Marke & Modell	Energie	Typ	Kosten (CHF)	Preisvergleich
Miele KF 7772 B Kühlschrank	Energie (kWh/Jahr): 116 Effizienz-Index (%): 51.0	Küh-Gefrier-Kombi Einbau EURO Höhe (cm): 177	Strom in 15 J.: CHF 348	CHF 2'749
V-ZUG CombiCooler V4000 Kühlschrank	Energie (kWh/Jahr): 146 Effizienz-Index (%): 63.5	Küh-Gefrier-Kombi Einbau SMS Höhe (cm): 178	Strom in 15 J.: CHF 438	CHF 2'040
SIEMENS KEG6EA1CA Kühlschrank Varianten: KEG6EA1PCA	Energie (kWh/Jahr): 149 Effizienz-Index (%): 63.8	Küh-Gefrier-Kombi Freistehend Höhe (cm): 186	Strom in 15 J.: CHF 447	CHF 749.00

Erhältlich bei	Auf Lager?	Lieferung inbegriffen?	Preis	Shoplink
Conforama	ja	nein	CHF 749.00	zum Shop
nettohop.ch	ja	ja	CHF 769.00	zum Shop
maelectronics	ja	ja	CHF 868.00	zum Shop
Interdiscount	ja	ja	CHF 1'079.15	zum Shop


Energy consumption of making coffee

- The stock of **residential** coffee makers in the EU is estimated 100 Mio units, consuming 17 TWh per year. Estimates of annual sales are roughly 30 Mio units by 2025.
- The stock of **commercial** coffee makers in the EU is estimated at 5.9 Mio units, consuming 13.6 TWh per year. Estimates of annual sales are roughly 700,000 by 2025.

The Swiss approach

- 2009: introduction of a voluntary energy label
- 2010-2014: development of new testing method by manufacturers (CECED, FEA)
- 2015: Introduction of mandatory label with new testing method (FEA)
- 2016: Revision of label, based on international testing method EN60661:2014, as well as the European Regulation on Standby → auto-shut off of 30min as a factory setting.


Swiss Energy Label for Residential Coffee Makers



- Energy consumption is shown by measuring each function on its own:
- e.g., production of coffee, espresso, steam for milk foam, etc)
- Unproductive functions such as cup-warmer, reheating, rinsing, etc.
- Values are added and multiplied for the annual consumption.

Resulting Market Development in Switzerland

- The annual consumption of coffee makers dropped from an average of 180 kWh (2006) to below 50 kWh for efficient models (2018).



Commercial Coffee makers

- 2014: Preliminary study for Ecodesign WP 3
- 2016: Commercial Coffee makers were dropped from WP 3
- 2021: Preliminary study for Ecodesign WP 4 → Saving potential 2.4 TWh/a
- Currently not in the scope of WP4, but proposition to include them in “professional cooking appliances”
- Ongoing: Development of new testing standard CLC/TC 59X/WG 21 by CENELEC


Differences of residential and commercial

- Product variety (coffee varieties, tea, hot milk)
- Speed of production (higher capacity of cups / hour)
- Simultaneous production (steam, coffee, teawater)
- Higher automation in places with no staff
- Use of fresh milk: needs to be refrigerated → causes higher energy consumption than keeping it in the fridge (residential)


Topten approach: Focus on Energy loss

- **DIN 18873-2:2016** defines the energy losses as the energy that is needed despite not producing a single coffee (heating up, keep warm, rinsing).
Note: Refrigeration of fresh milk is not included (measured separately).
- Assumption: the production of the actual beverage is not that different between models and manufacturers. Daily number of cups produced depends a lot on the location (unlike households which are rather similar)
- Find the current product list here: www.topten.eu/commercial-coffee-makers

Energy consumption over the day (restaurant)



Portafilter espresso machine, Energy consumption (kWh/day)



Conclusions residential coffee makers

- Introduction of European Energy Label for residential coffee makers, based on EN60661:2014
 - Can easily be adopted from the Swiss Energy Label, no new testing required
 - Many machines are already tested and labelled for the Swiss market.

Conclusions commercial coffee makers

- MEPS for commercial coffee makers
 - Standby: Adoption of Commission Regulation 1275/2008 and 801/2013
 - Mandatory timetables for on/off settings automatic Shut-off after cleaning cycle
 - Promotion of Eco-mode (reduction of keep-warm-temperature after 15min of inactivity)
 - Label for commercial coffee makers
 - Adapted from the Swiss label for residential coffee makers and in the future, using the new testing standard CLC/TC 59X/WG 21 by CENELEC
- Or
- Based on energy losses (DIN 18873-2:2016)

Next steps

- More data is needed to test the applicability to commercial coffee makers of the testing norms EN60661:2014 and DIN 18873-2:2016
- Energy efficiency of coffee makers needs to stay on the agenda of policy makers, manufacturers and users.

June 1st-3rd, 2022, Toulouse, France

Thank you !